

HSM VK 807V



Channel baling press HSM VK 807 V

For industrial applications with small material loads - Troughput up to approx. $28 \, \text{m}^3\text{/h}$

Technical data

Order number:	6616000	Loading aperture width x Loading aperture length:	450 x 710 mm
Pressing power:	82 kN		
Specific pressing power:	32,8 N/cm ²	Bale width x Bale height x Bale length:	500 x 500 x 400-800 mm
Driving power:	4 kW		
Voltage / Frequency:	400 V / 50 Hz	Length x Width x Height:	4813 x 1188 x 2281 mm
Cycle time when idling:	23,2 s	Weight:	2,35 t
Volume throughput in	28 m³/h	Type of consumables:	Wire
idle operation (theor.):		Press material:	Mixed paper, Cardboard,
Volume throughput at 50kg/m³ (theor.):	1.4 t/h		Plastic film

Product information



Particularly suitable for cardboard, films and bleeds of paper



Fully automatic vertical strapping with wire




Available as an option with manual strapping





System solution

Integration into automated industrial production processes.



Continuous loading

Suitable for continuous loading with conveyor belt, air feeding or similar.



Compact bales

The bales can be stacked and are easy to transport.



Automatic operation

Control of the pressing process via light barrier.



Operating side

Can be fully integrated into existing workflows and processes. Operating side can be selected.



Sturdy design

Very low space requirement thanks to compact and sturdy design.

